

Confident
Clear &
flawless skin

Acnoin 10 20

Isotretinoin 10 & 20 mg. Softgel Capsules

Efficacious for severe acne as well as cases that are unresponsive to other combination therapies including antibiotics*

Significantly reduces sebum production & lowers surface & ductal P.acnes*

Produces a significant reduction in comedogenesis by decreasing hyperkeratinisation*

Contributes to the reduction in acne inflammations*

Reduces size of pilosebaceous duct & alters microenvironment within the duct thus making less favourable to P.acnes for colonization*

NODULAR ACNE

also available







ALZOVER-A

Albendazole 400 Mg. & Ivermectin 6 Mg. Tablets

Potent combination of broad spectrum anthelmintics

Effectively decreases prevalence & intensity of intestinal helminth infections¹

Gains in height and weight are significantly greater in combination therapy than the individual drugs²

ASCARIASIS

TRICHURIASIS

HOOKWORMS

LYMPHATIC FILARIASI


NEURO-CYSTICERCOSIS

also available









Antiseptic & Keratolytic activity, reduces P.acnes Strains¹

Reduces colony counts of P.acnes strains resistant to antibiotics¹

Reduces inflammatory and non-inflammatory acne lesions¹







Calamine:

Relieves itching, pain & discomfort of minor skin irritation Soothing property, provides symptomatic relief in pruritus

Liquid Paraffin:

Decreases evaporation of water by forming water impermeable film over the skin1

Aloevera:

Improves skin integrity, decreases appearance of fine lines, wrinkles & erythema2

Vitamin E

Protects the skin from various deleterious effects by acting as a free-radical scavenger3

DRY SKIN | PSORIASIS | ATROPIC DERMATITIS

SKIN RASHES | SUNBURNS



- 1. Clin Cosmet investing dermatol 2012; 5: 85-91
- 2. Indian J Dermatol, 2008; 53(4): 163-166
- 3. Indian Dermatol Online J. 2016, Jul-Aug: 7(4): 311-315



Clazonic-BN

Clotrimazole 1%, Beclomethasone Dipropionate 0.025% & Neomycin 0.5% CREAM

Clotrimazole

Broad spectrum antifungal, inhibits the growth of pathogenic yeasts by altering the permeability of cell membranes¹

Used for the treatment of superficial dermatophytosis¹

Beclomethasone

Potent anti-inflammatory glucocorticoid Treats inflammatory skin conditions

Neomycin

Rapid bacterial & better bioactivity than streptomycin against gm-ve bacilli²

TINEA PEDIS | TINEA CRURIS | TINEA CORPORIS

DERMATOPHYTOSIS | CUTANEOUS CANDIDIASIS | PRICKLY HEAT



Clazonic-BT

Clotrimazole & Beclomethasone Dipropionate LOTION



Clintic A

Clindamycin Phospate 1.0% & Adapalene 0.1% Cream

Adapalene

- Potent modulator of cellular differentiation, keratinization & inflammatory processes¹
- Safe, efficient & well tolerated than other retinoids in the treatment of ane vulgaris¹

Clindamycin

 Bactericidal, improves acne by reducing the levels of propionibacterium acnes & decreasing inflammation^{2,3}



Clintic 300
Clindamycin 300mg Capsules



ACNE VULGARIS



- 1. Indian J Dermatol. 2014, Jul-Aug; 59(4): 385-389
- 2. J Clin Aesthet Dermatol, 2012 Jan; 5(1):30-35
- 3. Indian J Dermatol Venereol Leprol 2003; 69:8-9



Puts an End to Allergies



Bilastin 20mg & Montlukast 10mg Tablets

Belastin

A novel new-generation antihistamine that is highly selective for the H-histamine receptor¹

Effective & tolerable in patients with Perennial allergic rhinitis²

Monteukast

A Leukotriene Receptors antagonist

Significantly improves daytime & night time symptoms in patients with allergic rhinitis

In seasonal allergic rhinitis

Bilastin displayed similar efficacy to cetirizine³

In Urticaria

Ensures significantly greater inhibition of the wheal & flare response than cetirizine or placebo²





- 1. Therapeutics & clinical Risk Management 2016:12, 585-597
- 2. Alergology Internation, Jan 2017, Vol. 66, Issue 1, Page 97
- 3. Clin Exp Allergy. 2009, Sept; 39(9):1338-47





Highly effective in the treatment of dermatophyte toenail onychomycosis¹

Fungicidal agent that inhibits ergosterol, an essential fungal component²

An orally & topically active antifungal agent useful for the treatment of dermatophytic infections & onychomycosis³

Effective as continuous dosing in the treatment of dermatophyte toenail onychomycosis¹

Tinea | Mycosis | Athlete's foot | Sporotrichosis

Onychomycosis | Dermatophytic Infections







- 1. Indian J Dermatol Venereol Leprol. 2015, Jul-Aug;81(4):363-9
- 2. Chem Pharm Bull (Tokyo). 2015; 63(7):525-30
- 3. Drugs Tday (Barc). 2015 Mar; 51(3):197-208



Clears fungal infection & provides relief from cracking, burning, scaling & itching of the skin caused due to infections.

Works by causing holes in the fungal cell membranes & kills fungi.

Effective against gram-positive bacteria

Fights against cutaneous mycoses & secondary infections.

Inflamed Cutaneous Mycoses

Tinea Corporis Tinea Cruris

Pityriasis | Dermatophytosis | Candidiasis





Conivate

Fluticasone Propionate 0.5 % Cream

Has Anti-inflammatory, Antipruritic & Vasoconstrictive properties

Has a strong affinity for the glucocorticoid receptor

Provides relief from inflamed skin, redness and itching in skin problems not caused by germs & responsive to corticosteroids

ECZEMA | PSORIASIS PRURIGO NODULARIS
NEURODERMATOSES





DEEROSA

Evening Primrose oil 1000 mg Soft gel Capsules

Increases beneficial prostagladin PGE 1, which may help with the symptoms of premenstrual syndrome (PMS) and atopic eczema

Suitable for atopic eczema and skin health.

Useful in reducing inflammation and itchiness, improving skin hydration & preventing excessive sebum production

96 % of the patients showed improvement after five months & this form of treatment was noted as safe & effective. 1

Atopic Dermatitis

Eczema & Other Skin Disorder



UNBEATABLE!

against allergic & inflammatory SKIN CONDITIONS



- Glucocorticoid; shows anti-inflammatory and immunosuppressive effects¹
- Shows favourable pharmacokinetic, peculiar pharmacodynamic & good safety profile²
- Longer duration of action than other glucocorticoids administered at equivalent doses²
- Higher anti-inflammatory potency than prednisolone and cortisol²
- Shows high efficacy and good tolerability profile²

PEMPHIGUS VULGARIS

BULLOUS PEMPHIGOID

PYODERMA GANGRENOSUM

OTHER STERIOD RESPONSIVE CONDITIONS



1.Indian J Dermatol. 2008; 53(4): 167–170 2.BMC Pharmacol Toxicol. 2017; 18: 1



Well tolerated & effective overall in controlling symptoms of allergic rhinitis & its safety profile is good¹

Ebastin 20mg Tablets

Effective & has good tolerability, over 80% of patients reported comfort & satisfaction using it2

Has no negative effect on cognitive performance or mood³

Greatly reduces wheals, pruritus & burning³

Allergic Rhinitis **Atopic Dermatitis** Whealing & Pruritus

Chronic Idiopathic urticaria



- 1. Patient Prefer Adherence, 2010;4:389-395
- 2. Flev Alerg Mex, 2009 Mar-Apr; 56(2):36-40 3. Clin Exp. Dermatol, 2009 Jul; 34(5):e137-40





Azadirachta Indica (neem), Aloe Barbadensismiller (Aloe Vera), Glycerin, Cucumber, Citrus X Limon (lemon), Green Tea, Vit. B5

Hydrating Face Wash Cleanses Gently, Hydrates Amply

Brings natural glow to face

Hydrates the skin with essential nutrients

Removes excess oil, dirt & sweat without drying the skin



REMOVES GRIME:

Protects from Pollutants

REDUCES DRYNESS:

Repairs parched skin

MAINTAINS HYDRATION LEVEL:

Improves skin texture





DERCONIC BABY SOAP

Enriched With Almond Oil & Vitamin E (SKIN FRIENDLY pH BALANCE 5.5)

Heals chapped skin, replenishes dry skin & calms itchy skin


Moisturizes & soothes baby skin

Provides deep hydration to the skin

Keep skin cells healthy

Restores & Protects the acid mantle (pH5.5)





Derconic

A H A B H A

FOAMING FACE WASH

Salicylic Acid, Glycolic Acid, Hyaluronic Acid Foaming Face Wash

Fades away scars & dark spots left by acne by promoting tissue repair

Fights against free radical species that are the main cause of numerous negative changes

Treats defects of epidermis & papillary dermis

Exhibits protective effect radiation damage to the skin

Provides anti-acn effect, improves skin integrity

Decreases appearance of fine wrinkle & decreases erythema

DARK SKIN TONE | HYPERPIGMENTATION | ACNE/WRINKLES | OILY SKIN





Derconic Light Tretinoin 0.025%, Hydroquinone 2.0% & Mometasone 0.1% Cream Light

Tretinoin

Facilitates removal of pigment by accelerating the keratinocytes turnover¹

Enhances hydroquinone penetration through the stratum corneum by protecting from oxidation¹

Hydroquinone

Depigmenting agents, used for the treatment of hyperpigmentation & melasma¹

Mometasone

Reduces irritation from tretinoin & hydroquinone & suppresses biosynthetic & secretory functions of melanocytes²

MELASMA

POST INFLAMMATORY HYPERPIGMENTION FRECKLES/SENILE LENTIGINES





No more!!

Dry Rough Skin

Derconiquoist

Triclosan 0.3%w/w, Zinc Oxide 0.2%w/w & Vitamin E 0.5%w/w Soap

Triclosan:

A polychloro phenoxy phenol with antibacterial & antifungal activity

Zinc Oxide:

Shows antioxidant, anti-inflammatory & anti-bacterial action¹ Reduces P.acnes counts & suppresses sebum production¹

Vitamin E:

Protects the skin from various deleterious effects by acting as a free-radical scavenger²

EXCESSIVELY OILY or DRY ROUGH SKIN

ACNE

PIMPLE



1. Dernatol Res Pract, 2014 : 709152

2. Indian Dermatol Online J. 2016, Jul-Aug: 7(4): 311-315



Gaer Gerum for Wrinkle free skin

Der Conica

W Free Serum



Penetrates deeptly into the kin, reduces fine lines & wrinkles

Moisturizes skin & helps reduce age spots

Improves elasticity to tighten the skin

Improves moisture content of the skin & protects from UAV/UVB

Instantly brightens the skin tone

Ageing Photo Ageing Fine Lines
Wrinkles Hyper Pigmentation





Derconic SPF 30 SUN PROTECTION LOTION

Nourishes the skin & provides strong anti-ageing protection.

Has healing properties and offers additional skin hydration, regeneration & improves skin elasticity.

Balances the pH of the skin, eliminates oiliness & promotes skin health & vividness, leaving it smooth.

Lighten texture, leaving the skin radiant & smooth.

Detoxify the skin, improve its tone


Deeply moisturises & softens skin & is suitable for all skin types.

Excellent Sun lotion, protects skin against premature photoageing.









Clobetasol Propionate 0.05%, Ofloxacin 0.75%, Ornidazole 2% & Itraconazole 1% Cream

Clobetasol:

Potent corticosteroid which exhibits anti-inflammatory action

Ofloxacin + Ornidazole:

Exhibits anti-bacterial activity against gm-ve & +ve aerobes along with anaerobes

Itraconazole:

Broad spectru antifungal activity against pathogenic yeasts & fungi¹

INTERTIGO **CONTACT DERMATITIS ECZEMATOID DERMATITIS** | INFLAMMATORY DERMATOPHYTOSIS

















Ensures better anti-inflammatory potency than Hydrocortisone

Offer faster onset of action than Dexamethasone

More potent & more selective than Prednisolone

Potentiates action of bronchodilators with improvement in air flow parameters

Effective for both "Acute Periods" & Long term management of autoimmune diseases

Allergic States

Dermatological Manifestations





Desloratadine 5mg & Montelukast 10mg Tablets

"The combination of desloratadine plus montelukast is effective in the treatment of CU (Chronic urticaria). It may therefore be a valid alternative in patients with relatively mild CU, in view of its efficacy and the lack of adverse events."

"Combination of **desloratadine** and **montelukast** was shown to be more efficacious and may therefore be proposed in patients with DPU (Delayed pressure urticaria), in order to avoid corticosteroid therapy."²

Contact Dermatitis | Idiopathic Chronic Urticaria

Allergic Reactions | Allergic Rhinitis

also available Desnaz
Desloratadine 5mg Tablets





An anti-fungal; topical antimyotic

Possesses both fungistatic & fungicidal activity

Effective in the treatment of mild to moderate grade of dermtophytosis

Safe & Well tolerated

TINEA PEDIA | TINEA CRURIS | TINEA INGUINALIS

TINEA CORPORIS | TINEA MANUUM | PITYRIASIS VERISOLOR

say bye bye to fungal infections





Increase
hair growth &
prevent further
HAIR LOSS



Tillasteriae Tilly Tablets

90% patients gained or did not lose hair¹

Long term effect then minoxidil²

Effectively supports hair transplant cases





Increase number of Hair in the anagen phase

Does not cause any changes in sperm morphology

No reduction in semen parameters

ANDROGENETIC ALOPECIA



Ref: Journal of investigative dermatology symptoms proceeding (2003), 2. Dermatol Srg. 2005; Oct 31(10). 1208-78





Arbution

De-pigmentin & skin lightening agent

Vitamin E

Promotes youthful & healthy skin

Anti-ageing properties

Koji Acid

Reduces the production of melanin

Lightens dark spots on face & body

Octyl Methoxycinnamate

Help shield skin from sunburn

Non oily skin lightening Lotion

Skin Lightening & Brightening Lotion

Penetrates quickly to exfoliate & rejuvenate skin





SWEEP AWAY impurities & Even out skin tone

GLUTIC FAIR C

Glutathione, Vitamin C, Aloevera, Cocoa Butter, Almond Oil SOAP

Eliminate harmful pathogens from the skin

Forms a protective layer on the skin & seals moisture

Reduces UVB - induced erythema & sunburn cell formation

Helps skin retain natural moisture

Antimicrobial - helps eliminate harmful pathogens from the skin

DRY/ROUGH SKIN | ACNE/ PIMPLE | OILY SKIN

PHOTOAGING | SUNBURNS | BLEMISHES







Lightens skin tone

Skin firming & Lifting

Rejuvenated skin elasticity

Healthy & Glowing skin

Supplement for anti-ageing, brighten & youthful skin

GLUTATHIONE



Supports healthy inflammatory responses

Contains anti-aging properties

Supports Immune System & Cardiovascular Health

Supports Healthy skin & bright complexion





HAIRON +

Peg-7, Sorbitol, Glycerine, Polyquaternium-10, Aloevera extract, Hydrolysed Wheat Protein, Wheat Germ Oil, Sodium Lactate, Silicone oil, Vitamin E, Citric Acid, Jojoba oil, Acrylates Copolymers, Vitamin A, Vitamin C & Biotin **Shampoo**

Penetrates to the root of the hair follicles & clears up the debris around them

Restores proper circulation of blood & nutrients to the hair follicles

Prevents shrinking of hair follicle & helps them grow in a healthy cycle

Controls hair fall, accelerates hair growth, works on scalp 24x7

EXCESSIVE HAIR FALL | BRITTLE & DULL HAIR
WIDENED HAIR LINE | IMPAIRED HAIR GROWTH





FDA approval for use in the treatment of many inflammatory and pruritic dermatological conditions.

Alter the behavior of epidermal cells, dermal cells & leukocytes that take part in skin diseases that are proliferative and inflammatory.¹

Safe & effective in children under 18 years of age.

Eczema | Dermatitis | Psoriasis

Lichen Planus | Discoid Lupus Erythematosus



1. Kragballe K. Topical corticosteroids: mechanisms of action. Acta Derm Venereol Suppl (Stockh). 1989;151:7-10; discussion 47-52.



MEDCONIC TM DERMACEUTICS (An ISO 9001:2015 Certified Co.)

Supports Good Bacterial Growth



Possesses central sedative properties


Antihistaminic, used for the treatment of urticaria & atopic dermatitis¹


Significantly suppresses pruritus upto 24 hrs after administration, with greater than 85% suppression from 2 to 12 hours²

Effective in relieving pruritus& promoting resolution of skin lesions in atopic dermatitis²

Shows reduction in the number & size of lesions & in the severity of pruritus in the treatment of chronic idiopathic urticaria³

ATOPIC/CONTACT DERMATITIS | CHRONIC URTICARIA
HISTAMINE-MEDIATED PRURITUS
PRURITUS DUE TO ALLERGIC CONDITIONS







Itzomax

Itraconzole 100 & 200mg Capsules

Potent inhibitor of most fungal pathogens including Aspergillus species1

Effective in patients who are non-responsive to fluconazole or other azoles treatment²

High concentration in skin & nails for upto 3 months after the end of therapy²

Broad spectrum antifungal activity against pathogenic yeasts & fungi (C.neoformans, H. capsulatum)³

Greater safety & efficacy than ketoconazole⁴

ORAL THRUSH | CANDIDIASIS | VAGINAL THRUSH TINEA INFECTIONS | ONYCHOMYCOSIS



Itraconzole 65 & 130mg Super Bioavailability Tablets



- 1. Indian J Otoaryngol Head Neck Surg. 1997 Jul; 49(3): 293-294 2. Journal of Antimicrobial Chemotherapy, Vol 44, Issue 4, 1999, Pages 429-437
- 3. Scientific Reports 6, Article number: 2311 (206)
- 4. Ann Pharmacother 1992 Apr; 26(4): 502-9





For **tough** & **stubborn** fungal Infection

Ketoconazole 2% Cream

Ketzonic-B Ke

Beclomethasone 0.025% Cream/ Lotion

Ketzonic-S Ketoconazole 2% &

Salicylic Acid 2% **Lotion**

Significantly decreases the total symptom scores in patients with tinea pedis, tinea cruris & tinea corporis¹

Shows 80%-90% Cure rate in the treatment of pityriasis versicolor²
Significantly reduces erythema, pruritus & scaling in seborrhoeic dermatitis³

TINEA CORPORIS | TINEA CRURIS | TINEA MANUS | TINEA PEDIS TINEA (PITYRIASIS) VERSICOLOUR | SEBORRHOEIC DERMATITIS













1. Cutis, 1995 Mar; 55(3):181-3

2. Indian Dermatol Online J. 2016 Jul-Aug; 7(4): 335-336

3. J Clin. Aesthet Dermatol. 2013 Feb 6(2): 44-49



Konic Lite

Kojic Acid 0.1%, Glycerin& Vitamin E Soap Noodles Base

Kojic Acid

Inhibits tyrosinase activity & reduces melanin content, treats hyperpigmentation & melasma1,2

Treats wrinkles & reduces other signs of aging 3,4

Protects skin damage from sun5

Glycerin

Helps the skin to retain natural moisture by attracting water from air

Vitamin E

Antimicrobial property, helps eliminate harmful pathogens from the skin

MELASMA | HYPERPIGMENTATION | PHOTOAGING

ACNE | PIMPLE | OILY SKIN





Lycopene: Protects cells & tissues from the damaging effects of free radicals & helps repairing them

Mecobalamin: Improve dermatologic symptoms

Grape Seed Extract: Proven antimicrobial properties, improves skin's

moisture & softness

Vitamins & Minerals: Reduces the damage caused by free radicals

AGING | SUNBURN | WRINKLES | SKIN TANNING
OXIDATIVE STRESS | HYPERPIGMENTATION

MEDCONIC DERMACEUTICS

Lycopene, Methylcobalamin, Multivitamin & Multiminerals Syrup



Imidazole antifungal agent, shows potent activity against variety of fungi, especially dermatophytes¹

Most potent antifungal agent against Dermatophytes, Trichophyton Rubrum, Microsporum gypseum & Epidermophyton floccosum

More potent antifungal activity than lanoconzaole¹

Favourable safety profile¹

Very effective in Athlete's Food, Ringworm & Jock Itch

Tinea Pedis

Cutaneous Candidiasis

Tinea Cruris / Tinea Corporis









Antihistaminic, inhibits the release of histamine & other inflammatory mediators involved in allergic inflammations¹

Fewer side effects (3%) compared to cetirizine (21%)¹

Significantly improves number, size & duration of lesions & greater fall in pruritus compared to cetirizine in the treatment of urticaria¹

Chronic Idiopathic Urticaria

Histamine-Mediated Pruritus







Approved by FDA & Health Canada for the treatment of androgenetic alopecia (male pattern balding & female pattern hair loss)1

Slows or stops hair loss & promotes hair growth²

Significantly increases hair thickness & density after 6 months treatment of androgenetic alopecia³

Increases average total hair counts in the treatment of androgenetic alopecia⁴



Minoxidil 5% w/v & Finasteride 0.10% w/w **Tropical Solution**

Androgenetic Alopecia | Alopecia Areata



- 1. Can Fam Physician. 2015 Sept; 61(9): 757-761
- 2. Recent Pat Inflamm Allergy Drug Discov. 2012 May; 6(2): 130-6
- 3. J Dtsch Dermatol Ges. 2007 May; 5(5):391-5
- 4. J Am Acad Dermatol. 1987 Mar; 16(3 pt 2): 705-10



Rapid & extensive tissue penetration with prolonged tissue & serum half-lives than other macrolides¹

Azithromycin 250/500mg & LAB 60 million Spores Tablets

- Provides short duration & high compliance regimens¹
- Active against S.aureus S.pyogenes & S.agalactiae caused uncomplicated skin & skin structure infections¹
- Show 78% to 100% clinical efficacy rates for uncomplicated skin & skin structure infections²
- Effective & well tolerated in the treatment of impetigo³
- Highly effective in acute & inflammatory acne
 - Impetigo
 - Pyoderma
 - Furunculosis
- Genital Ulcer Disease
- Skin & Soft Tissues Infections
- Skin & Skin Structure Infection





Medipergel Permethrin 5%w/w Gel

First line treatment for scabies

Highly safe as it is minimally absorbed via skin (only up to 0.5 %)

Has very low mammalian toxicity and does not have any safety implications fro host

In treatment of scabies permethrin is more effective than gama benzene hexachloride & Ivermectin1

Body/Head Lice infestation | Prevention of Mosquito Bite | Maintenance therapy in Scabies







Permethrin 1%, Glycerin 4% & Aloevera 4% Soap





Medlaa LB

Doxycycline 100mg & Lactic Acid Bacillus 60 million spores

Doxycycline

Used primarily for the treatment of acne vulgaris¹

Less frequent daily dosing & greater lipophilicity compared to other tetracyclines¹

Treat non-infectious inflammatory skin diseases such as rosacea

Exhibits favourable long term track records of efficacy & safety¹

Lactic Acid Bacillus:

Improves the gastric tolerance of antibiotic & reduces the risk of antibiotic associated diarrhoea²

ACNE VULGARIS

ROSACEA





Muconazole 150, 200mg Tablets

- Effective for the prevention of mycotic recurrent episodes¹
- Drug of choice for the treatment of vaginal yeast infection and candidiasis^{2,3}
- Shows comparable efficacy and safety to clotrimazole in the patients with balanitis⁴
- Shows 95% clinical and mycological cure rates in the treatment of tinea corporis, tinea cruris and tinea pedis⁵

VAGINAL CANDIDIASIS | **CANDIDAL BALANITIS**

TINEA PEDIS / TINEA CORPORIS

TINEA CRURIS / TINEA VERSICOLOR

DERMAL CANDIDA INFECTIONS

ONYCHOMYCOSIS

also available







Momonic-f

Mometasone

Inhibits histamine release & reduces sensitivity of vascular smooth muscle to histamine¹

Topical corticosteroid with high potency & safety profile

Treat inflammatory glucocorticoid responsive dermatoses²³

Fusidic Acid

First choice in primary & secondary skin infections due to efficacy, safety, sensitization potential & spectrum selectivity

High bacterial activity against penicillin & methicillin resistant S.aureus strains, S.epidermidis, S.pyogenes & P.acnes

Momoni

Impetigo / Erythrasma Folliculitis/Boils/ Carbuncles Infected Dermatitis / Eczema Infected Wounds & Burns Nail infections (Paronychia)



Indian J Dermaol Venereol Leprol 2010;76:724 Drugs 1998 Jan ; 55(1):145-63 Indian J dermatol Venereol Leprol 1999; 65:219-21 G Ital Dermatol Venereol. 2014; 149(4):453-9





Antibacterial agent, active against Staphylococcus aures, including methicillin-resistant strains¹

Achieves very high local conc. to the skin, mucous membranes or other tissues²

Highly effective in the treatment of MRSA infections³

Well tolerated 4

IMPETIGO | INFECTED WOUNDS | DIABETIC FOOD INFECTIONS

POST SURGICAL INFECTIONS | INFECTED DERMATITIS / ECZEMA

SECONDARY INFECTED DERMATOSES (SIDS)

SECONDARY INFECTED TRAUMATIC LESIONS (SITLS)



^{1.} Indian J Dermatol Venereol Leprol March-April 2005, Vol 71, Issue2

^{2.} Can J Infect Dis 2002, May-June; 13(3):157-159

^{3.} Antimicrob Agents Chemother 1989, Aug; 33(8):1358-1361

^{4.} Clin Exp Dermatol 2002 Jan(1):14-20



Musidic-B

Fusidic Acid 2 % w/w & Beclomethasone 0.025 % Cream

Fusidic Acid

First choice in primary & secondary skin infections due to efficacy, safety, sensitization potential & spectrum selectivity¹

High bacterial activity against penicillin & methicillin resistant S.aureus strains, S.epidermidis, S.pyogenes & P.acnes¹

Treats mild to moderately severe SSTIs, e.g. Impetigo, folicullitis, erythrasma, fununculosis, abscesses & infected traumatic wounds²

Beclomethasone

Potent anti-inflammatory glucocorticoid

Treats inflammatory skin conditions³

Impetigo / Erythrasma | Folliculitis/Boils/ Carbuncles
Infected Dermatitis / Eczema | Infected Wounds & Burns
Nail infections (Paronychia)







Daily immune support for improved skin

Nikcee-1000

Vitamin C 1000mg (Effervescent) Tablets

Provide a skin rejuvenating effect by improving collagen synthesis in the skin that slows down with aging

Inhibits tyrosinase enzyme & decreases melanin formation¹

Protects skin from reactive oxygen species & free radicals¹

Reduces UVB-induced erythema & sunburn cell formation¹

Stimulates collagen production, reduces inflammation

Improves Skin tone & Texture

Reverses sun damaged skin

Fades hyperpigmentation / acne scars

also available

Nikcee Plus

Vit. C 500mg, Vit. D3-100 IU & Zinc 25mg Tablets





Irritating
Upset Skin...

Razevo

Levocetirizine 5 & 10 mg. Tablets

Shows marked improvement in itching severity, reduction in wheal number & size in chronic idiopathic urticaria¹

Higher efficacy & more prolonged action in inhibiting histamine- induced wheal formation than ebastine, fexofenadine, mizolastine & loratdine¹

More efficacious compared to rupatadine in chronic idiopathic urticaria²

Improves quality of life³

Razevo-M

Levocetirizine 5mg & Montelukast 10 mg Tablets

CHRONIC IDIOPATHIC URTICARIA | HISTAMINE -INDUCED PRURITUS

ALLERGIC RHINITIS | ATOPIC ECZEMA | CONTACT DERMATITIS



1. J Asthma Allergy, 2009; 2: 17-23 2. Int J Dermatol. 2015 Oct; 54(10):1199-204 3. Int J Dermatol. 2006 Apr; 45(4): 469-74



Rtcort

Triamcinolone Acetonide 40 mg. Injection

Safe & effective for the treatment of patients with extensive alopecia areata¹

Suppresses vascular endothelial growth factor, inhibits fibroblast proliferation & induces scar regression thus used in the management of keloids²

More effective in reducing the size of keloid in comparison with silicone gel sheet, verapamil and cryotherapy³

Significantly reduces the nail psoriasis severity in patients with psoriatic nails⁴

Shows clinical improvement & complete re-epithelialization of dermal ulcers in ulcerative necrobiosis lipoidica $^{\rm 5}$

ALOPECIA AREATA | DISCOID LUPUS ERYTHEMATOSUS/KELOIDS

GRANULOMA ANNULARE/PSORIATIC PLAQUES

LICHEN PLANUS/LICHEN SIMPLEX CHRONICUS (NEURODERMATITIS)

CYSTIC TUMORS OF AN APONEUROSIS OR TENDON (GANGLIA)

NECROBIOSIS LIPOIDICA DIABETICORUM





Scobonic Lotion Gama Benzene Hexachloride 1% Lotion

Put an end to infestation

A Ectoparasiticide & Ovicide, effective against sarcoptes scabies, pediculosis capitis & pediculosis pubis


Safe & effective method for curing scabies¹

Acts on the nervous system of the parasites & ensures quick & complete eradication

SCABIES

LICE







Calcipotriol 0.005% & Clobetasol Propionate 0.05% Cream

Calcipotriol

An antipsoriatic agents, helps in the inhibition of overproduction of the skin cells.

Clobetasol:

Anti-inflammatory, antipruritic & vasooconstrictive properties¹

Effective & well tolerated for the treatment of skin disorders such as atopic dermatitis¹

Moderate to severe Psoriasis

Scalp Psoriasis

Alopecia Areata





Effective & safe for the management of atopic dermatitis in both adult & pediatric patients¹

Rapid onset of action¹

Shows significantly greater median percentage decrease in modified Eczema Severity (76.6%) than Hydrocortisone (47.6%)¹

Shows better clearance rate compared to pimecrolimus in atopic dermatitis²

Eczema | Vitiligo | Atopic Dermatitis

Inflammatory Dermatoses | Granuloma Faciale

Taconxt





Terbfine 250 500

Terbinafine 250 & 500 mg. Tablets

First line drug for the treatment of tinea corporis & cruris due to favorable mycological & pharmacokinetic profile¹

Possesses broad spectrum of activity against fungal pathogens of the skin, hair & nails


Effective against the species in trichophyton, Microsporum & epidermophyton genera¹

Higher overall efficacy rates & lower relapse rates as compared with itraconazole in the treatment of tinea corporis²

TINEA CRURIS | TINEA PEDIS | CUTANEOUS

CANDIDIASIS | TINEA CORPORIS | ONYCHOMYCOSIS





Newer generation antifungal having broad spectrum activity & is less toxic compared to other anti fungals

Good tolerability & effective in fungal treatment of immune compromised patients.

Effective for patients undergoing allogeneic hematopoietic cell transplant (HCT) for acute myeloid leukemia (AML)¹

As effective as amphotericin B for the treatment of aspergillosis & may be more effective²

Mucormycosis | Invasive aspergillosis | Candidaemia Fluconazole resistant serious invasive Candida infections Fungal infections caused by Scedosporium spp. & Fusarium spp.





Antimicrobial, helps eliminate harmful pathogen from the skin

Forms a protective layer on he skin & seals moisture

Protects skin from various deleterious effects by acting as a free-radical scavenger

Prevents formation of comedones, thus depriving the p.acnes

DRY / ROUGH SKIN | SCARS/BLEMISHES

DAMAGED SKIN | SUNBURNS





Antihistamine, suppresses various allergic reactions mediated by histamines1

Reduces pruritus severity, number of wheals, interference with sleep & normal daily activities in patients with chronic urticaria2

Greater efficacy in treating allergic disorders than other IInd-generation H1 antihistamines3

free from sedation & drug interactions

Chronic Idiopathic Urticaria | Histamine induced Pruritus

Seasonal / Perennial Allergic Rhinitis





- 1. Ann Dermatol. 2011, Dec 23(Suppl 3): S329-S332
- 2. Ann Allergy Asthma Immunol. 2000 May; 84(5): 517-22
- 3. Indian Dermatol Online J. 2010, Jul-Dec 1 (1): 45-46